	Application No.	Applicant(s)
Notice of Allowability	10/601,177	FALLIN ET AL.
	Examiner	Art Unit
	Anu Ramana	3733
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the interview conducted on September 26, 2007.		
2. The allowed claim(s) is/are <u>1-10 and 14-16</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☑ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendr 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), te

Application/Control Number: 10/601,177

Art Unit: 3733

EXAMINER'S AMENDMENT

An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment, which places this application in condition for allowance. During the interview conducted on September 12, 2007, Applicant's Representative requested an extension of time for one (1) MONTH(S) and authorized the Director to charge Deposit Account No. 50-3352 the required fee of \$60.00 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

REJOINDER OF WITHDRAWN CLAIMS

It is noted that previously withdrawn claims 5-8 are being rejoined and allowed in accordance with MPEP 1302.04(h).

The application has been amended as follows:

In the claims (see amendment filed on March 29, 2007):

In claim 1, line 7: deleted "portion having an outwardly projecting" and in the same line after "undercut" and before "with" inserted - - portion - - and in the same line deleted "noncircular" to clarify Applicants' invention.

In claim 1, line 9: deleted "minimum" and in the same line after "diameter" and before "that" inserted - - at a circular periphery thereof - - to clarify Applicants' invention.

In claim 1, line 10: after "lip" and before "so" inserted --, said at least one access channel intersecting a circular periphery of the capture lip -- to clarify Applicants' invention.

In claim 2, line 2: replaced "comprising" with - - comprises - - to correct a minor typographical error.

Art Unit: 3733

In claim 3, line 2: replaced "comprising" with - - comprises - - to correct a minor typographical error.

In claim 4, line 1: deleted "radially elastic" to clarify Applicants' invention.

In claim 4, line 2: replaced "member" with - - head - - to clarify Applicants' invention.

In claim 4, line 4: before "a" inserted - - wherein the radially elastic member comprises - - to clarify Applicants' invention.

Canceled claims 11-13.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anu Ramana whose telephone number is (571) 272-4718. The examiner can normally be reached Monday through Friday between 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached at (571) 272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information walk Kamara system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AR September 26, 2007